

HOME IS WHERE THE HEART IS

# ENGINEERED TIMBER

*Australian Species*



[heartridge.com.au](http://heartridge.com.au)

HOME REFLECTS WHO  
WE ARE IT'S A SPACE  
WE CREATE TO

*recharge our soul*

A PLACE TO BE  
SAVOURED  
AND ENJOYED

*with loved ones*

HOME IS WHERE THE HEART IS

## WHY CHOOSE HEARTRIDGE FLOORS

For over 50 years, we as an industry have always been passionate and proud of the products we offer.


We search the globe for the latest in flooring innovation and select only the most beautiful colour variations that nature can provide us.

Heartridge is the perfect flooring option to make your space a place to come home to.


Available in Engineered Timber, Hybrid Plank, Luxury Vinyl Plank and Vinyl Plank flooring.



INTRODUCING THE  
AUSTRALIAN SPECIES



BLACKBUTT



SPOTTED GUM



Blackbutt

# CONSTRUCTION

Plank Size: 2100 / 1900 / 1820mm x 136mm x 14mm  
4-Sided Micro Bevel



Actual colors may vary. We do our best to ensure that our photos are as true to color as possible. Every monitor or mobile display has a different capability to display colours.

To ensure the right product for you, please order a **FREE** consumer sample sized plank.

[Scan the QR code or click here to order](#)

## PRODUCT SPECIFICATION

PLANK SIZE	Thickness 14mm Width 136mm 2 lengths of 2100mm 3 lengths of 1900mm 3 lengths of 1820mm
PACK SIZE & WEIGHT	2.089m <sup>2</sup>   22.5kg
WEAR LAYER	3.0mm Veneer Blackbutt & Spotted Gum
MATERIAL	Multi-layered Eucalyptus
COATING	Treffert UV Cured Urethane Coating
CLICK JOIN	Dunlop driGuard™ Tongue and Groove
PATTERN REPEAT	Natural Timber Variation
SURFACE FINISHING	Lightly brushed, with a smooth, low sheen finish
EDGE	4S Micro Bevelled
INSTALLATION TYPE	Floating or Glued
MATCHING ACCESSORIES	Yes
APPLICATIONS	Residential & Commerical Settings
WARRANTY (STRUCTURAL)	25 Year Limited Residential
WARRANTY (SURFACE FINISH)	20 Year Limited Residential

## TECHNICAL INFORMATION

FIRE - SMOKE	20.81% min
FIRE - CHF / CRF	3.8kW/m <sup>2</sup>
SLIP - DRY FLOOR FRICTION	D1
SLIP - WET PENDULUM	P4
SLIP - OIL WET RAMP	R9
FORMALDEHYDE	E0

A bedroom featuring a bed with white linens and a beige throw blanket. The floor is made of wide, dark wood planks. A large window or glass door in the background shows a balcony with two blue wicker chairs and lush greenery outside.


A TOUCH OF  
**NATURE CRAFTED**  
FOR YOUR HOME

Embrace the timeless quality of Blackbutt and Spotted Gum as it brings a tranquil element to your space - where peace and comfort meet.




Blackbutt

## WHY ENGINEERED TIMBER?



### NATURAL TIMBER VARIATION & CHARACTER

Engineered Timber is a natural product; each board is different in its own unique way. Timber flooring has natural features and character, with knots and variations in each colour.



### ACOUSTICALLY SOUND

As more people choose multilevel, residential living, the issue of sound insulation has never been more important. For added acoustic performance, a Dunlop Timber Underlay is recommended for installation.



### COATED FOR SURFACE PROTECTION

Our flooring is protected by an exceptional UV-cured urethane coating, ensuring outstanding wear resistance to preserve the excellent condition of your timber floor.



### LAYERED TO LAST

Our Engineered Timber is designed for strength and durability. Each plank is layered with a 3mm thick, Blackbutt and Spotted Gum veneer that matures naturally with age, while a eucalyptus core provides optimal stability underfoot.



### LOW MAINTENANCE

Maintaining the beauty of your hardwood floors is easy. Simply wipe with a damp or dry cloth to always keep them looking their best.




Blackbutt

## 3 FREE SAMPLES DELIVERED STRAIGHT TO YOUR DOOR


Whether you're renovating an existing home or building a new dwelling from the ground up, the colour and quality of the flooring is an important decision to make. This is why we've set up our Request a Sample service to help you find the perfect colour!

Our Request a Sample service is quick and simple to do. Our samples will be sent to you directly from our warehouse. Choose from a variety of colours across our entire range, to help you compare and contrast the sample with your desired palette. Visit our website today and make your first order!


1

 Visit [heartridge.com.au](http://heartridge.com.au)

2

 Choose and order your samples

3

 We'll deliver it to your door

[Order Now](#)

## A GIFT JUST FOR YOU

Receive a FREE Bona Kit with any Heartridge Flooring purchase!

## HOW IT WORKS

STEP ONE: Order your free Heartridge samples online

STEP TWO: Use our store locator to purchase and install your new Heartridge Floor

STEP THREE: Send us your proof of purchase along with your unique code and we'll deliver your Bona Kit straight to your door!




Terms and Conditions apply.

# QUALITY UNDERLAY SOLUTIONS

As more people choose multilevel residential living, the issue of sound insulation has never been more important. Whether it's in a townhouse, apartment, or two storey home, the sound of footsteps, moving furniture, or falling items can be annoying. To tackle this problem, Dunlop has a complete range of hard flooring underlays for all applications that easily surpass the industry standard set by the National Construction Code (formerly known as BCA) supporting your new floor for many years to come.


## DUNLOP Advantage 3

- Thickness 3mm
- Designed to reduce impact sound insulation whilst offering high resilience
- Exceeds the NCC minimum requirements
- Suitable for both domestic and commercial applications
- Guaranteed for the life of your flooring
- Recommended for use with solid and engineered timber, laminate and vinyl planks
- Acoustic Rating: 46 dB
- Water Vapour Transmission: 196 Sd when installed with a 200 micron plastic sheet




## DUNLOP Timbermate

- Thickness 2mm
- Reduces sound transfer
- Protects against moisture
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 58 dB
- Water Vapour Transmission: 86 Sd




## DUNLOP Thermacoustic

- Thickness 3mm
- Increased reduction in sound transfer
- Protects against moisture
- Offers added thermal protection
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 55 dB
- Water Vapour Transmission: 174 Sd




## DUNLOP Timbercushion

- Thickness 2mm
- Superior acoustic performance
- 200 micron barrier offers unsurpassed moisture resistance
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 48 dB
- Water Vapour Transmission: 202 Sd
- Includes an incorporated tape seal on the end of the rolls for increased water vapour resistance



## DUNLOP Aquacoustic

- Thickness 3mm
- Impressive acoustic performance
- 200 micron barrier offers unsurpassed moisture resistance
- Recommended for use with most common laminate and engineered timber floating floors
- Acoustic Rating: 47 dB
- Water Vapour Transmission: 203 Sd
- Includes an incorporated tape seal on the end of the rolls for increased water vapour resistance





For more information contact Dunlop Flooring on  
1800 622 293 or visit [heartridge.com.au](http://heartridge.com.au)

