



□ 2444 KAURI PINE

MiPlank

Luxury Vinyl Flooring



Mi Plank

Luxury Vinyl Flooring

Hand-selected by a team of interior design experts, MiPlank combines the latest trends and designs to create a premium look and feel for your interior. The collection features 14 authentic timber designs, each containing unique knot and grain details to replicate the natural beauty of the different wood species. For those requiring a high-performing acoustic product, without wanting to compromise on design, 7 shades from the MiPlank collection are also available with a specially-formulated acoustic backing, reducing impact sound by up to 19dB. Look out for the acoustic symbol throughout the brochure or refer to the collection overview for details of these shades.

□ 2421 SUN BLEACHED ASH



MiPlank Acoustic


REDUCES IMPACT SOUND BY 19dB

7 SHADES

Looking for flooring for a multi-residential or commercial space? The MiPlank Acoustic collection is the perfect option for when impact sound reduction is an important factor.

The specially-formulated MiPlank Acoustic luxury vinyl flooring combines the high-quality and design of traditional MiPlank, with an acoustic backing that reduces impact sound by up to 19dB. Available in 7 of the MiPlank shades, achieve the same look with improved acoustic benefits, perfect for when you need peace and quiet.

Look for the MiPlank Acoustic symbol on selected shades and reference the purple shade code when placing your order.



ACOUSTIC
BACKING



Acoustic backing on selected shades only.
Look out for the MiPlank Acoustic symbol.

2411
PAPERBARK



9411*



Plank Size
185 x 1505mm

Paperbark features a unique combination of a smooth texture and light timber tones which range from warm, sun-drenched yellows to moody greys, creating a sense of refined luxury.

*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces



PAPERBARK



2412
WATTLE



Plank Size
185 x 1505mm

Wattle is a striking light brown shade, with warm undertones and defined growth rings. Inspired by natural timber, these planks feature unique knot and grain detailing to ensure an authentic Australian look.

WATTLE

2413
SASSAFRAS



9413*



Plank Size
185 x 1505mm

SassafraS features wonderful, variable and dynamic colouring. The combination of golden tones with striking, deep rich brown, grain and knot detailing creates a statement floor.

*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces



SASSAFRAS




DARK OAK

2414
DARK OAK



9414*



Plank Size
177.8 x 1219.2mm

This unique, Dark Oak plank design features deep chocolate brown tones, perfect for creating a bold and sophisticated style.

*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

2417
BLACKWOOD



9417*



Plank Size
177.8 x 1219.2mm

Inspired by the Australian hardwood that yields an attractive timber finish; Blackwood features a lustrous golden brown grain. Contrasting bands of rich, darker tones create a sophisticated, homely look.

*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces



BLACKWOOD



SILVER BIRCH

2418 SILVER BIRCH



9418*



Plank Size
185 x 1505mm

The silvery, white trunk of Silver Birch creates a timber species which features an airy metallic grey. This design is the perfect choice for light, contemporary residential and commercial spaces.

*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

2420
GREY GUM



9420*



Plank Size
177.8 x 1219.2mm

Designed to replicate an Australian native species, Grey Gum combines a smooth, refined grain with contemporary grey undertones to create a truly unique Australian feel.

*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces



GREY GUM



SUN BLEACHED ASH

2421 SUN BLEACHED ASH



9421*



Plank Size
185 x 1505mm

The long planks of Sun Bleached Ash feature silvered, grey tones, inspired by planks bleached by the sun and saltwater of the Australian coast.

*Code refers to acoustic version of this shade, ideal for multi-residential & commercial spaces

2440
COTTONWOOD



Plank Size
185 x 1505mm

Soft and light, Cottonwood delivers pale timber warmth with gentle grain movement. Its bright, natural character creates a calm, versatile foundation for contemporary and organic interiors.



COTTONWOOD



WEATHERED FIR

2441
WEATHERED FIR



Plank Size
185 x 1505mm

Weathered Fir blends rustic texture with modern refinement, featuring subtle knots and muted natural tones. The result is depth and authenticity, ideal for relaxed, lived-in spaces with persistent appeal.

2442
BLONDE MYRTLE



Plank Size
185 x 1505mm

Warm and welcoming, Blonde Myrtle reveals soft golden hues and refined grain detailing. Its uplifting finish enhances both modern and classic interiors with effortless brightness and charm.



BLONDE MYRTLE



2443
EASTERN OAK



Plank Size
177.8 x 1219.2mm

Eastern Oak presents a natural oak aesthetic with soft linear grain and delicate knot detail. Balanced and refined, it delivers a timeless timber look suited to a wide range of interior settings.

EASTERN OAK

2444
KAURI PINE



Plank Size
185 x 1505mm

Light and naturally harmonious, Kauri Pine features gentle golden tones and subtle timber variation.

The result is a fresh, inviting aesthetic that feels relaxed, timeless, and perfectly at home in contemporary spaces.



KAURI PINE



REFINED WALNUT

2445 REFINED WALNUT



Plank Size
185 x 1505mm

Deep and sophisticated, Refined Walnut showcases deep chocolate tones and elegant grain detail. Offering warmth and depth, it brings a sense of understated luxury to both modern and classic interiors.

MIPLANK


COLLECTION OVERVIEW

14 SHADES


The MiPlank collection has been beautifully engineered to create authentic replications of natural timber planks.

The designs deliberately contain knot and grain details, giving each plank a unique appeal. Although we endeavour to ensure that the colours depicted within this brochure truly represent each product, we recommend you view an actual sample of a full-size plank prior to selection.


plank size : 177.8 x 1219.2mm



2414 DARK OAK  9414*



2417 BLACKWOOD  9417*




2420 GREY GUM  9420*




2443 EASTERN OAK


plank size : 185 x 1505mm



2411 PAPERBARK  9411*



2412 WATTLE



2413 SASSAFRAS  9413*



2418 SILVER BIRCH  9418*



2421 SUN BLEACHED ASH  9421*



2440 COTTONWOOD




2441 WEATHERED FIR



2442 BLONDE MYRTLE



2444 KAURI PINE



2445 REFINED WALNUT

All designs achieve R10, which is an ex-factory measure of slip resistance.

*Code refers to acoustic version of this shade

VISUALISE IT IN YOUR ROOM

Take the guesswork out of choosing your floor by trying it out today. The Polyflor Visualiser helps bring our products to life and shows how they will transform your room. All you need to do is take a photo of the area you're renovating and let our visualiser do the rest!



SCAN QR CODE TO VISUALISE IT IN YOUR ROOM
or visit polyflor.com.au/room-visualiser





□ 2421 SUN BLEACHED ASH

ORDER FREE SAMPLES

Our sampling process is second to none.
We provide up to 10 FREE samples, delivered to your door, to make the
decision process simple. Order your samples today, via our website
polyflor.com.au or call Polyflor on **1800 777 425**



SCAN QR CODE TO ORDER FREE SAMPLES

MiPLANK FLOORCARE

We want your MiPlank floor to look its best for many years to come and to help with this we have laid out the following floorcare guidelines. MiPlank does not harbour dust mites or bacteria, making it ideal for the home environment.

Initial Cleaning after installation

- Avoid walking on the floor for at least 24 hours following completion of installation.
- Sweep or vacuum to prevent loose dirt from scratching the floor.
- Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection.

Day to Day Cleaning

Regularly sweep or vacuum your floor to remove loose dirt, grit or dust. It's important to use clean mops and neutral cleaning solutions when regularly cleaning your floor. Always dilute the floor cleanser to the manufacturer's instructions. Please ensure you mop your floor evenly and collect any excess liquid in a mop bucket.

Do:

- Install barrier mats at entrances to pick up grit and moisture. (Please note, some rubber-backed mats may discolour the floor).
- Ensure your furniture is fitted with protective pads, where necessary, to prevent scratches.
- Use protective cups under heavy furniture to prevent indentation.
- Remove spillages as quickly as possible to reduce the risk of staining and causing slip hazards.
- Always use clean equipment when maintaining your floor.
- Regularly trim pets claws as these can cause fine scratches.

Don't:

- Use abrasive liquids or metal scouring pads as these can damage the floor.
- Clean the floor with solvents, caustic detergents washing up liquids, soap powders, bleach, furniture polishes, petroleum-based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage.
- Drag furniture with unprotected feet across the floor.

Regular cleaning is more beneficial to the floor covering and is more cost-effective than occasional heavy cleaning. **We highly recommend using the PUREFLOR hard surface cleaner to maintain your MiPlank floor.**

pureflor™

THE NATURAL CLEAN FREAKS.

PUREFLOR sets a new benchmark for Hard and Soft Surface Cleaning performance.

Containing only natural ingredients in a concentrated formulation, the PUREFLOR range is pH Neutral, non-toxic and removes the toughest stains by destroying organic stains,



HARD SURFACE CLEANER

A floor cleaner for hard surfaces around the home and office. **Suitable for use on** : vinyl flooring, tiles, wooden floors, concrete.



SOFT SURFACE CLEANER

All-natural, multi-enzyme formula designed to attack and loosen tough stains and dirt on carpet and upholstery. **Suitable for use on** : carpet, rugs, upholstery, curtains.



Soap Free

Products do not contain any soap, avoiding build-up over time



Natural Formula

Formulated with plant based enzymes that will not upset the natural bacteria



Accelerated Enzymes

Enzymes accelerate the destruction of organic material



pH Neutral

Won't damage surfaces



Powerful & Eco-Positive



100% Biodegradable



No chemical agents



No phosphates



THE NATURAL CLEAN FREAKS

pureflor™

MiPLANK

TECHNICAL SPECIFICATIONS

| PRODUCT FORMAT | Standard | Result |
|----------------|--------------------|----------------------|
| Gauge | ISO 24346 (EN 428) | 5.0mm |
| Wear Layer | ISO 24340 (EN 429) | 0.55mm |
| Total Weight | MiPlank | 8000g/m ² |
| | MiPlank Acoustic | 6380g/m ² |
| Finish | | PUR |

| PLANK SIZES | Size | Shades | Quantity per Box | Coverage per Box/Roll |
|-------------|--------------------|--------|------------------|-----------------------|
| Plank | 177.8mm x 1219.2mm | 4 | 10 | 2.17m ² |
| | 185mm x 1505mm | 10 | 8 | 2.23m ² |

| PERFORMANCE REQUIREMENTS | Standard | Result | |
|-------------------------------|---|---------------------------------|-----------------------------------|
| General Performance | MiPlank | ISO 10582 (EN 649) | Conforms |
| | MiPlank Acoustic | ISO 11638 (EN 651) | Conforms |
| Use Area | MiPlank | ISO 10874 (EN 685) | 23, 34, 43 |
| | MiPlank Acoustic | ISO 10874 (EN 685) | 23, 33, 42 |
| Slip Resistance | EN 13893 DIN 51130 / DIN EN 16165 Ann. B AS 4586 Appendix D | Class DS R10 R10 | |
| | MiPlank Acoustic | ASTM D2047 | SCOF ≥0.5 |
| Binder Content | ISO 10582 | Type I | |
| Abrasion Resistance | EN 649 | Group T | |
| Reaction to Fire | MiPlank | EN 13501-1 | Class Bfl-S1 |
| | MiPlank Acoustic | EN 13501-1 | Class Cfl-S1 |
| | MiPlank | AS ISO 9239-1 | >8 kW/m ² |
| | MiPlank Acoustic | AS ISO 9239-1 | >4.5 kW/m ² |
| Residual Indentation | ASTM E648 CAN/ULC S102.2 | Class 1 FSV < 300; SDV < 500 | |
| | MiPlank | ISO 24343-1 (EN 433) | ≤0.05mm* |
| Castor Chair (continuous use) | MiPlank Acoustic | ISO 24343-1 (EN 433) | ≤0.20mm* |
| | | ASTM F970 ASTM F1914 | ≤0.018" @ 750psi ≤0.019" |
| Dimensional Stability | MiPlank | ISO 23999 (EN 434) | ≤0.1% max |
| | MiPlank Acoustic | ISO 23999 (EN 434) | ≤0.25% |
| | | ASTM F2199 | Pass |
| Static Electrical Propensity | MiPlank | EN 1815 | ≤2.0kV Classified as 'antistatic' |
| Flexibility | ASTM F137 | 1" - Pass | |
| Underfloor Heating | | Suitable, max 27°C | |
| Light Fastness | ISO 105-B02 (Method 3) | ≥6 | |
| Resistance to Light | ASTM F1515 | ΔE ≤ 8.0 - Meets | |
| Resistance to Heat | ASTM F1514 | ΔE ≤ 8.0 - Meets | |

*Average test value from current production.

| SUSTAINABILITY | Standard | Result |
|-------------------------|----------|----------------------------|
| BRE Green Guide | | A+ Generic |
| Recyclable & Reusable | | 100% |
| Recycled Content | | 20% |
| REACH | | Compliant |
| Indoor Air Comfort Gold | | Eurofins certified product |
| FloorScore | | Certified |
| AgBB/ABG | | Pass |

| ACOUSTIC PERFORMANCE | Standard | Result | |
|--------------------------------|------------------|-------------|------|
| Impact Sound Reduction | MiPlank | ISO 10140-3 | 9dB |
| | MiPlank Acoustic | ISO 10140-3 | 19dB |
| Sound Transmission Coefficient | ASTM E90/492 | STC 55 | |
| Impact Insulation Class | ASTM E90/492 | IIC 56 | |
| IXPE Acoustic Layer | | 1.0mm | |

| MAINTENANCE PERFORMANCE | Standard | Result |
|-------------------------|--------------------|-----------------|
| Resistance to Chemicals | ISO 26987 (EN 423) | Good resistance |
| | ASTM F925 | Good resistance |

Regular light maintenance is more cost-effective than periodic heavy maintenance and more beneficial to the floor covering.



AUSTRALIA

Polyflor Australia
Tel: 1800 777 425
Fax: 03 9215 4444
E-mail: sales@polyflor.com.au
www.polyflor.com.au

NEW ZEALAND

Polyflor New Zealand
Tel: 0800 765 935
Fax: 0800 846 737
E-mail: sales@polyflor.co.nz
www.polyflor.co.nz

For details on distribution,
as well as up to date product
and technical information,
please visit
www.polyflor.com.au

POLYFLOR™
COVERING THE WORLD

James Halstead™
FLOORING

AUBR101 - 02.26



□ 2444 KAURI PINE